

Namespaced Template

--- template --- description : template heavily based on DokuWiki's default template with namespace related magic author : Simon Delage email : simon.geekitude@gmail.com lastupdate_dt : 2015-02-10 compatible : Hrun depends : conflicts : similar : DokuWiki screenshot_img:

template:dokuwiki_template.png tags : sidebar, topbar, mobile, responsive, namespace, logo, banner

sourcerepo : <https://github.com/geekitude/dokuwiki-template-namespaced> downloadurl : <https://github.com/geekitude/dokuwiki-template-namespaced/archive/master.zip> bugtracker : <https://github.com/geekitude/dokuwiki-template-namespaced/issues>

This is a modification of the [default template bundled with DokuWiki](#) with added features (list below).

The original template was designed by [Clarence Lee](#) and authored by [Anika Henke](#).

Features

- Optional [topbar](#) (can be namespace dependent, inherited from parent(s) or not)
- Optional [sidebar](#)
- Optional logo (can be namespace dependent, inherited from parent(s) or not)
- Optional banner (can be namespace dependent, inherited from parent(s) or not)
- Tagline can be replaced by current page title beside at wiki start (tagline and title positions can be switched)
- Nice integration of [Translation](#) and [User Homepage](#) plugins if they're enabled
- Mobile support (Desktop, Tablet, Phone sizes)
- HTML5 compatible

Download and Install

Install the template using the Extension Manager and the download URL above, which points to the latest version.

Refer to [Templates](#) on how to manually install and use templates in DokuWiki.

Customizing

This template offers quite a few settings to customize it to suit your likings. Let me know if you feel something should be added USING GITHUB ISSUE????????????????????????????????????????????????????????????

Settings

Setting (default value)	Possible values	Effect
topbarwidth (480)	positive integer < or = 100	Topbar width in % of window
	positive integer > 100	Topbar width in pixels
topbarposition (absolute)	absolute	Topbar will scroll with page
	fixed	Topbar will stick to the top of browser window
topbarbgcolor (empty string)	empty string	<code>__background_neu__</code> from <code>...lib/tpl/namespaced/style.ini</code> (see hints)
	Any valid CSS color string ¹⁾	Topbar background color
topbarfrom (nowhere)	nowhere	Disable topbar feature
	root	Search for topbar at wiki root only
	inherit	...or in current namespace then it's parent(s)
	namespace	...or in current namespace only
taglinereplace (on)	on/off	If enabled, tagline will be replaced with current page title (except at wiki start page)
titleinvert (on)	on/off	If enabled, wiki title and tagline will be inverted (except at wiki start page)
logofrom (inherit)	nowhere	Disable logo feature
	root	Search for logo at wiki root only
	inherit	...or in current namespace then it's parent(s)
	namespace	...or in current namespace only
logomaxheight (0)	0	No maximum height
	any positive integer	Logo with bigger height will be resized to that height
logoaction (N)	N	On click or N shortcut, go to parent namespace
	H	On click or Hshortcut, got to wiki start page
titleaction (H)	H	On click or Hshortcut, got to wiki start page
	N	On click or N shortcut, go to parent namespace
addwikistart (on)	on/off	If enabled while both <code>logoaction</code> and <code>titleaction</code> are set to N, a link to wiki start page will be added in site tools
bannerfrom (nowhere)	nowhere	Disable banner feature
	root	Search for banner at wiki root only
	inherit	...or in current namespace then it's parent(s)
	namespace	...or in current namespace only
bannerwidewidth (600)	any integer > 1	If banner is wider than this, it will be placed between breadcrumbs and page content instead of being reduced to fit under site tools
	0	Banner will allways be placed under site tools (and reduced if needed)
	1	Banner will allways be placed between breadcrumbs and page content
mediamanagermove (on)	on/off	If enabled link to Media Manager will be moved from Site tools to Page tools

Setting (default value)	Possible values	Effect
translationplugin (on)	on/off	If Translation plugin is active and this option is enabled, it will be placed on breadcrumbs line (either breadcrumbs or youarehere options must be enabled)
userhomepageplugin (on)	on/off	If User Homepage plugin is active and this option is enabled, default Logged in as... string will be replaced by the one provided by its plugin

Adding a Topbar

Adding a Sidebar

The template supports a sidebar as configured in [Configuration Setting: sidebar](#).

Changing the Width and other Styles

Additionally to the standard guaranteed [style.ini](#) placeholders, the template uses the following variables:

placeholder variable	meaning
<code>__background_site__</code>	background colour of the whole site
<code>__link__</code>	colour of links
<code>__existing__</code>	colour of links to existing internal pages
<code>__missing__</code>	colour of links to missing internal pages
<code>__site_width__</code>	width of the whole site
<code>__sidebar_width__</code>	width of the sidebar

E.g. you can adjust the width of the template by overriding the `__site_width__` variable. Simply create the file `conf/tpl/dokuwiki/style.ini` (or old location: `lib/tpl/dokuwiki/style.local.ini` in Adora Belle) and set the variable accordingly. You can either use a fixed value (px or em) or a percent value (%) if you prefer a dynamic width.

[conf/tpl/dokuwiki/style.ini](#)

```
[replacements]
__site_width__ = "100%"
```

You can use this file to override any other variable from the `style.ini` as well. E.g. for changing some of the colors.

Changing the Logo

The Logo, Favicon and Apple Touch (bookmark) icons are looked up from multiple locations. The default icons (DokuWiki logo) provided by the template can be easily exchanged by uploading the image files to their correct locations using the [Media Manager popup](#) or [Fullscreen Media Manager](#).

Here are the locations checked by the template code:

- The site's logo
 - `:wiki:logo.png`
 - `:logo.png`
 - `lib/tpl/dokuwiki/images/logo.png`
- The favicon
 - `:wiki:favicon.ico`
 - `:favicon.ico`
 - `lib/tpl/dokuwiki/images/favicon.ico`
- The bookmark icon used by Apple and Android devices
 - `:wiki:apple-touch-icon.png`
 - `:apple-touch-icon.png`
 - `lib/tpl/dokuwiki/images/apple-touch-icon.png`

Action Hooks

Plugins can integrate into the template without any need for modifying the template by providing an [Action component](#) to handle the custom action hooks triggered by the template.

TEMPLATE_PAGETOOLS_DISPLAY

This [event](#) allows to extend or modify the floating pagetools menu. `$event->data['items']` contains an array with HTML for each item in the menu. Plugin authors should match the existing style and provide needed CSS and background image. You can use different styling or classes or markup depending on `$conf['template']`. `$event->data['view']` contains information whether the pagetools are called in the main or the detail view.

Supported Include Hooks

Include hooks allow you to add additional HTML or PHP to the template without modifying any of the template files itself, making them safe to survive an update. Just create the appropriate file in either the template directory (`lib/tpl/dokuwiki/`) or your `conf/` directory.

Filename	Position of included HTML
<code>meta.html</code>	Inside the HTML <code><head></code> , use this to add additional styles or metaheaders
<code>sidebarheader.html</code>	At the top of the sidebar (if any)
<code>sidebarfooter.html</code>	At the bottom of the sidebar (if any)
<code>pageheader.html</code>	At the top inside the content box, above the actual content
<code>pagefooter.html</code>	At the bottom inside the content box, below the actual content
<code>header.html</code>	At the top of the page, above the logo and wiki title
<code>footer.html</code>	At the very end of the page after all other page content

A few hints

Provide a topbar template

Simply install [TemplateByName plugin](#) and create `.../data/pages/__topbar.txt` with a simple template to guide users into creating topbars consisting of a list with the correct syntax.

Use a different CSS placeholder for Topbar background color

If you want to change the default topbar background color but keep using a placeholder from `.../lib/tpl/namespaced/style.ini` (ie use `__background__` or `__background_alt__` instead of `__background_neu__`), simply add a line like the following one in `.../conf/userstyle.css` :

```
.dokuwiki .topbar ul { background-color: __background_alt__; }
```

Sites using this Template

- Add yours here

¹⁾

including RGB or RGBA expressions

From:
<http://wiki.geekitude.fr/> - **Geekitude**

Permanent link:
http://wiki.geekitude.fr/en/info/doku/namespaced_official

Last update: **2018/05/03 11:10**

